

MYSORE LEGISLATIVE ASSEMBLY

Monday, 31st January 1966.

The House met in the Assembly Chamber, Vidhana Soudha, Bangalore, at One of the Clock.

MR. SPEAKER (SRI B. VAIKUNTA BALIGA, B.A., B.L.) in the Chair.

STARRED QUESTIONS

(to which oral answers were given)

Suvarnavathy Project.

*Q.—14. Sri M. C. BASAPPA (Chamarajanagar).—

Will the Government be pleased to state :—

(a) the year in which the Suvarnavathy Project in Mysore District was sanctioned ;

(b) the Budget provision in the year 1964-65 and in the year 1965-66 for this project ;

(c) what is the outlay incurred in the year 1964-65 ;

(d) out of the expenditure incurred the amount spent on the establishment and also on other items of work ;

(e) the reasons for not starting the the project work so far ?

A.—Sri S. NIJALINGAPPA (Chief Minister).—

(a) The project has not been sanctioned so far. However an estimate amounting to Rs. 5 lakhs was sanctioned by Government in April 1964 for taking up preliminary works of the project.

(b) 1964-65 : the Budget provision was Rs. 15,000

1965-66 : the Budget provision is Rs. 1,50,000

(c) Rs. 1,000.

(d) On establishment: Nil. The expenditure incurred is on surveys of the project.

(e) Preliminary works have already been taken up. The main project estimate is not yet sanctioned and the same is being pursued with C.W. and P.C.

Sri M. C. BASAPPA.—What is the estimated cost of the project ?

† Sri S. NIJALINGAPPA.—Rs. 111.69 lakhs.

Sri M. C. BASAPPA.—Is it not a fact that projects costing less than Rs. 2 crores need not go to the C.W.P.C. for clearance or sanction ?

Sri S. NIJALINGAPPA.—Projects costing more than Rs. 1 crore will have to be sent to them.

Sri M. C. BASAPPA.—Is it not a fact that there is a sub-division called the Suvarnavathy Sub-Division at Chamarajnagar ?

Sri S. NIJALINGAPPA.—I want notice.

Sri M. C. BASAPPA.—Though Rs. 1,50,000 has been allotted for 1965-66, what was the difficulty in spending that amount in that sub-division ?

Sri S. NIJALINGAPPA.—Preliminary work has been taken up and the answer also states that the main project estimate has not been sanctioned.

Sri M. C. BASAPPA.—Is it not a fact that the tanks situated lower down this project will have assured water supply if this project is taken up ?

Sri S. NIJALINGAPPA.—This is a new question and I want notice.

ಶ್ರೀ ಸಿ. ಜೆ. ಮುಕ್ಕಣ್ಣಪ್ಪ.—ಸಿಬ್ಬಂದಿಗಾಗಿ ಏನೂ ಬರ್ಚು ಮಾಡಿಲ್ಲ ಎಂದು ಹೇಳಿದ್ದಾರೆ. ಆದರೆ ಈ ಕೆಲಸಕ್ಕೆ ಒದಗಿಸಿರುವ 1,65,000 ರೂಪಾಯಿಗಳನ್ನು ಬರ್ಚು ಮಾಡುವುದಕ್ಕೆ ಏನೂ ದರೂ ಸಿಬ್ಬಂದಿ ಇರಬೇಡವೇ ?

ಶ್ರೀ ಎಸ್. ನಿಜಲಿಂಗಪ್ಪ.—ಈಗ ಏನು ಸಿಬ್ಬಂದಿ ಇದೆಯೋ ಅದರಿಂದಲೇ ಸರ್ವೆ ಕೆಲಸವನ್ನು ಮಾಡಿಸುತ್ತಿದ್ದೇವೆ.

Sri M. C. BASAPPA.—In view of the scarcity conditions existing there and the urgency of the work, will the Government take up this work immediately.

Sri S. NIJALINGAPPA.—It is a suggestion for action and I will certainly have it looked into.

Copper wire drawing Factories.

*Q.—49. Sri S. P. PHAYDE (Ankola).—

Will the Government be pleased to state:—

(a) the number of copper wire drawing factories in Mysore State and name of each factory ;

(b) the basis of supplying copper to these factories ;

(c) whether there is any disparity in supply of copper to these factories and if so, reasons for the same ;

(d) the details of supply of copper to these factories during the month of April and September 1964 ?

†Indicates that the remarks or speeches have not been revised by the member concerned